



Product/Process Change Notice - PCN 19_0095 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Appendix A) that you may have purchased in the last 2 years. **Any inquiries or requests with this PCN (additional data or samples) must be sent to ADI within 30 days of publication date.** ADI contact information is listed below.

PCN Title: ADXL362 Data Sheet Specification Change

Publication Date: 21-Apr-2019

Effectivity Date: 21-Apr-2019 *(the earliest date that a customer could expect to receive changed material)*

Revision Description:

Initial Release

Description Of Change:

The sensitivity of the ADXL362 when used in the 8g full scale range mode is stated inaccurately on the data sheet. Sensitivity in 8g full scale range mode changed from 250 LSB/g to 235 LSB/g.

Reason For Change:

The data sheet is being updated to accurately reflect device capabilities.

Impact of the change (positive or negative) on fit, form, function & reliability:

No change on fit, form, function and reliability.

Summary of Supporting Information:

Changes will be reflected on the new product data sheet revision "F". See change in table 1 on page #4.

Supporting Documents None

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas:
PCN_Americas@analog.com

Europe:
PCN_Europe@analog.com

Japan:
PCN_Japan@analog.com

Rest of Asia:
PCN_ROA@analog.com

Appendix A - Affected ADI Models

Added Parts On This Revision - Product Family / Model Number (5)

ADXL362 / ADXL362BCCZ-MI-RL

ADXL362 / ADXL362BCCZ-MI-RL7

ADXL362 / ADXL362BCCZ-R2

ADXL362 / ADXL362BCCZ-RL

ADXL362 / ADXL362BCCZ-RL7

Appendix B - Revision History

Rev	Publish Date	Effectivity Date	Rev Description
Rev. -	21-Apr-2019	21-Apr-2019	Initial Release

Analog Devices, Inc.

DocId:6706 Parent DocId:None Layout Rev:7